S/N: 10/626,465

## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing Of Claims:**

Please amend the claims as follows:

1. (Currently Amended) A system for bi-directional power distribution line communication, the system configured for data communication with an endpoint transceiver located at a customer premise, the system comprising:

a timer server in electrical communication with the transceiver, the time server configured to retrieve the time; and

a substation controller in electrical communication with a power distribution line, the substation controller including a <u>substation</u> transceiver and <u>substation</u> programmable circuit, the <u>substation</u> programmable circuit including a substation clock, the <u>substation</u> programmable circuit programmed to periodically retrieve the time from the time server to calibrate the substation clock to the retrieved time; and to control the <u>substation</u> transceiver to transmit the time to the endpoint transceiver.

2. (Currently Amended) The system of claim 1, wherein:

the time server is programmed to adjust the time for the time zone in the geographic region in which the system is located to determine an adjusted time; and the time retrieved by the transceiver programmable circuit is the adjusted time.

S/N: 10/626,465

3. (Currently Amended) The system of claim 1, wherein:

the <u>substation</u> programmable circuit is further programmed to adjust the time for the time zone in the geographic region in which the system is located to determine an adjusted time; and

the time retrieved transmitted by the substation transceiver is the adjusted time.

4. (Currently Amended) The system of claim 3, wherein:

the <u>substation</u> programmable circuit is further programmed to adjust the time for daylight savings time during period where the geographic region in which the system is located recognizes daylight savings time.

- 5. (Original) The system of claim 1 wherein the time retrieved by the time server is Universal Time Coordinated (UTC).
- 6. (Original) The system of claim 1 wherein the time is retrieved from the global positioning system.
- 7. (Original) The system of claim 1 wherein the time is retrieved from a radio signal carrying the time generated from an atomic clock.
- 8. (Currently Amended) The system of claim 1 wherein the <u>substation</u>
  programmable circuit is programmed to <u>send control the substation transceiver to</u>

  <u>transmit</u> the time to the endpoint <u>transceivers transceiver</u> about once every five minutes.

S/N: 10/626,465

9. (Currently Amended) The system of claim 1 further comprising the endpoint transceiver, the endpoint transceiver including a <u>an endpoint</u> programmable circuit and an endpoint clock, the endpoint transceiver programmed to calibrate the endpoint clock to the time received from the substation controller upon receiving the time from the substation controller.